

CorePro LEDcapsule LV

CorePro LEDcapsuleLV 2-20W 830 G4

The CorePro LEDcapsule is a true alternative to the halogen capsule. It is particularly suitable for task lighting and decorative applications in homes, shops, hotels and restaurants. Compatible with existing fixtures with G4 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers significant energy savings and minimises maintenance costs without any compromise on light quality.

Product data

• General Characteristics

Cap-Base G4 - [-] 15000 hr Bulb Rated Lifetime

• Light Technical Characteristics

Colour Code Colour Designation White Correlated Colour 3000 K Temperature Luminous Flux 200 Lm Colour rendering

index

100 Lm/W Luminous Efficacy

Lamp

Colour Temperature 3000 K [CCT 3000K] Rated Luminous Flux 200 Lm

LLMF - end nominal 70 %

lifetime

• Electrical Characteristics

Wattage 2 W 12 V Voltage 50-60 Hz Line Frequency Power Factor Lamp Current mA 290 mA Dimmable No 20 W Wattage Equivalent Rated Wattage 2.0 W Starting Time 0.5 (max) s

• Environmental characteristics

Energy Efficiency A++ Label (EEL) 3 kWh Energy consumption kWh/1000h

• Measuring Conditions

50000X Switching cycle

• Product Dimensions

Overall Length C 45 mm Diameter D 14.3 mm

• Product Data

419168 00 Order code Full product code 871869641916800

CorePro LEDcapsuleLV 2-20W 830 Full product name

Order product name CorePro LEDcapsuleLV 2-20W 830

8718696419175

G4

Pieces per pack 1 12 Packing configuration Packs per outerbox 12

8718696419168 Bar code on pack -

EAN1

Bar code on outerbox - EAN3


Logistic code(s) -929001131802

Net weight per piece 0.008 kg





Dimensional drawing




CorePro LEDcapsuleLV 2-20W 830 G4

Product	C (Norm)	D (Norm)
LED 2-20W 830 G4	45	14.3



G4

Photometric data





Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.