

Dimmer for adjustable LED lamp and electronic transformers max.:
100 W



Figure similar

Model	
Product brand name	DELTA
Product designation	Dimmer
Design of the product	Insert
Type of load	other
Type of composition	Basic element with complete enclosure
Design of the operating mechanism	button
Design of dimmer / Series dimmer	No

General technical data	
Operating apparent output / rated value	
• minimum	4 V·A
• maximum	100 V·A
Dim power / minimum	4 V·A
Mounting type	Other
Surface processing	other
Material	other

Supply voltage

Operating voltage / Rated value	230 V
Protection class	
Protection class IP	IP20
Current	
Dim power / maximum	100 V·A
Main circuit	
Operating frequency / rated value	
• minimum	50 Hz
• maximum	50 Hz
Suitability	
Suitability for interaction	
• motion detector	Yes
• wireless pushbutton	Yes
• IR pushbutton	Yes
• presence detector	Yes
• Pushbutton	Yes
• time switch	No
Appearance	
Appearance	not applicable
Color	white
Product details	
Product component	
• Light value memory	Yes
• Extension input	No
Product feature	
• halogen-free	Yes
• transparent	No
Mechanical Design	
Height	69 mm
Width	95 mm
Depth	12 mm
Mounting type	flush mounting
Material / of the enclosure	plastic
Certificates	
Reference code	
• acc. to DIN EN 61346-2	Q

Declaration of Conformity



Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TC8211-0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5TC8211-0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TC8211-0

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>