



CorePro LEDcapsuleMV

CorePro LEDcapsuleMV 2.6-25W G9 827 D

This single-ended mains-voltage capsule for G9-base luminaires delivers directional light, making it a true alternative to halogen capsule lamps. It is particularly suitable for task lighting in shops, hotels and restaurants, and ideal for desk lamps and cabinet lighting. Compatible with existing fixtures with G9 holders and designed for retrofit replacement of halogen capsules, CorePro LEDcapsule delivers huge energy savings and minimizes maintenance costs, without any compromise on light quality.

Product data

General Information		Operating and Electrical	
Cap base	G9 [G9]	Input frequency	50 to 60 Hz
EU RoHS compliant	Yes	Power (Rated) (Nom)	2.6 W
Nominal lifetime (nom.)	15000 h	Lamp current (nom.)	14.5 mA
Switching cycle	50,000X	Wattage equivalent	25 W
Technical type	2.6-25W	Starting time (nom.)	0.5 s
Light Technical		Warm-up time to 60% light (nom.)	0.5 s
Colour Code	827 [CCT of 2,700 K]	Power factor (nom.)	0.7
Beam Angle (Nom)	300 °	Voltage (Nom)	220-240 V
Luminous flux (nom.)	300 lm	Temperature	
Colour designation	Warm white (WW)	T-Case maximum (nom.)	86 °C
Correlated Colour Temperature (Nom)	2700 K	Controls and Dimming	
Luminous efficacy (rated) (nom.)	115.00 lm/W	Dimmable	Yes
Colour consistency	<6	Approval and Application	
Colour rendering index (nom.)	80	Energy efficiency label (EEL)	A++
LLMF at end of nominal lifetime (nom.)	70 %	Suitable for accent lighting	No

CorePro LEDcapsule MV


Energy consumption kWh/1,000 hours	3 kWh
------------------------------------	-------

Product Data

Full product code	871869976669600
Order product name	CorePro LEDcapsuleMV 2.6-25W G9 827 D
EAN/UPC – product	8718699766696
Order code	76669600

SAP numerator – quantity per pack	1
Numerator – packs per outer box	12
SAP material	929002389902
SAP net weight (piece)	0.012 kg


Dimensional drawing




Capsule G9 25W 215lm 2700K G9 Dim 15khrs

Product	D	C
CorePro LEDcapsuleMV 2.6-25W G9 827 D	15 mm	52 mm


Photometric data



LEDcapsule MV 2,6W G9 827



LEDcapsule MV 2,6W G9 827



LEDcapsule MV 2,6W G9

Lifetime



15K LED



15K LMP

